This listing of claims will replace all prior versions, and listings, of claims in the application:

The Status of the Claims

- (Original) A method comprising:
 identifying a bus transaction request with a virtual machine monitor; and storing a record associated with the bus transaction request in a virtual machine.
- 2. (Original) A method as defined in claim 1, further comprising performing a bus transaction in response to the bus transaction request.
- 3. (Original) A method as defined in claim 2, wherein storing the record associated with the bus transaction request in the virtual machine comprises storing the record associated with the bus transaction in a transaction profiler.
 - 4. (Original) A method as defined in claim 1, further comprising: receiving the bus transaction request at the virtual machine; and generating a time stamp at the virtual machine.
 - (Original) A method as defined in claim 1, further comprising:inserting the bus transaction request on a bus; andreceiving a bus transaction response on the bus at the virtual machine.
- 6. (Original) A method as defined in claim 1, further comprising:

 generating a time stamp at the virtual machine; and

 transmitting a bus transaction response from the virtual machine to the virtual
 machine monitor.

- 7. (Original) A method as defined in claim 1, wherein the record comprises at least one of a time stamp, the bus transaction request, a bus transaction response, and historical data.
- 8. (Original) A method as defined in claim 1, further comprising writing data to a bus via the virtual machine.
- 9. (Original) A method as defined in claim 1, further comprising reading data from a bus via the virtual machine.
 - 10. (Original) A method as defined in claim 1, further comprising:
 identifying a start trap request with the virtual machine monitor; and
 generating a time stamp in response to the start trap request.
 - 11. (Original) A method as defined in claim 1, further comprising: identifying a stop trap request with the virtual machine monitor; and generating a time stamp in response to the stop trap request.
- 12. (Original) A method as defined in claim 1, further comprising:

 identifying an extract data request with the virtual machine;

 receiving data on a bus; and

 transmitting the data via the virtual machine in response to the extract data request.
- 13. (Original) A method as defined in claim 1, wherein the bus transaction request is received from a second virtual machine.

14. (Previously Presented) An apparatus comprising:

a processor; and

a memory coupled to the processor, the memory comprising instructions which when executed by the processor are configured to:

identify a bus transaction request with a virtual machine monitor; and store a record associated with the bus transaction request in a virtual machine.

- 15. (Previously Presented) An apparatus as defined in claim 14, wherein the instructions are configured to perform a bus transaction in response to the bus transaction request.
- 16. (Previously Presented) An apparatus as defined in claim 15, wherein the instructions are configured to store the record associated with the bus transaction request in the virtual machine by storing the record associated with the bus transaction in a transaction profiler.
- 17. (Previously Presented) An apparatus as defined in claim 14, wherein the instructions are configured to:

receive the bus transaction request at the virtual machine; and generate a time stamp at the virtual machine.

18. (Previously Presented) An apparatus as defined in claim 14, wherein the instructions are configured to:

insert the bus transaction request on a bus; and receive a bus transaction response on the bus at the virtual machine.

19. (Previously Presented) An apparatus as defined in claim 14, wherein the instructions are configured to:

generate a time stamp at the virtual machine; and transmit a bus transaction response from the virtual machine to the virtual machine monitor.

- 20. (Original) An apparatus as defined in claim 14, wherein the record comprises at least one of a time stamp, the bus transaction request, a bus transaction response, and historical data.
- 21. (Previously Presented) An apparatus as defined in claim 14, wherein the instructions are configured to write data to a bus via the virtual machine.
- 22. (Previously Presented) An apparatus as defined in claim 14, wherein the instructions are configured to read data from a bus via the virtual machine.
- 23. (Previously Presented) An apparatus as defined in claim 14, wherein the instructions are configured to:
 - identify a start trap request with the virtual machine monitor; and generate a time stamp in response to the start trap request.
- 24. (Previously Presented) An apparatus as defined in claim 14, wherein the instructions are configured to:

identify a stop trap request with the virtual machine monitor; and generate a time stamp in response to the stop trap request.

25. (Previously Presented) An apparatus as defined in claim 14, wherein the instructions are configured to:

identify an extract data request with the virtual machine;

receive data on a bus; and

transmit the data via the virtual machine in response to the extract data

request.

- 26. (Previously Presented) An apparatus as defined in claim 14, wherein the instructions are configured to receive the bus transaction request from a second virtual machine.
 - 27. (Currently Amended) An apparatus comprising:

a transaction profiler;

a first memory portion including a virtual machine;

a memory associated with the virtual machine; and

a second memory portion including a virtual machine monitor

communicatively coupled to the transaction profiler and configured to:

identify a bus transaction request with the virtual machine monitor; and store a record associated with the bus transaction request in the memory associated with the virtual machine.

28. (Original) An apparatus as defined in claim 27, wherein the transaction profiler is configured to:

generate a time stamp; and

transmit a bus transaction response to the virtual machine monitor.

- 29. (Currently Amended) A machine accessible readable medium having instructions stored thereon that, when executed, cause a machine to:
 - identify a bus transaction request with a virtual machine monitor; and store a record associated with the bus transaction request in a virtual machine.
- 30. (Currently Amended) A machine accessible readable as defined in claim 29, having instructions stored thereon that, when executed, cause the machine to perform a bus transaction in response to the bus transaction request.
- 31. (Currently Amended) A machine accessible readable as defined in claim 30, having instructions stored thereon that, when executed, cause the machine to store the record associated with the bus transaction request in the virtual machine by storing the record associated with the bus transaction in a transaction profiler.
- 32. (Currently Amended) A machine accessible readable as defined in claim 29, having instructions stored thereon that, when executed, cause the machine to:

 receive the bus transaction request at the virtual machine; and generate a time stamp at the virtual machine.
- 33. (Currently Amended) A machine accessible readable as defined in claim 29, having instructions stored thereon that, when executed, cause the machine to:

insert the bus transaction request on a bus; and receive a bus transaction response on the bus at the virtual machine.

machine monitor.

- 34. (Currently Amended) A machine accessible readable as defined in claim 29, having instructions stored thereon that, when executed, cause the machine to:
 - generate a time stamp at the virtual machine; and transmit a bus transaction response from the virtual machine to the virtual
- 35. (Currently Amended) A machine accessible readable as defined in claim 29, wherein the record comprises at least one of a time stamp, the bus transaction request, a bus transaction response, and historical data.
- 36. (Currently Amended) A machine accessible readable as defined in claim 29, having instructions stored thereon that, when executed, cause the machine to write data to a bus via the virtual machine.
- 37. (Currently Amended) A machine accessible readable as defined in claim 29, having instructions stored thereon that, when executed, cause the machine to read data from a bus via the virtual machine.
- 38. (Currently Amended) A machine accessible readable as defined in claim 29, having instructions stored thereon that, when executed, cause the machine to:

 identify a start trap request with the virtual machine monitor; and
- 39. (Currently Amended) A machine accessible readable as defined in claim 29, having instructions stored thereon that, when executed, cause the machine to:

generate a time stamp in response to the start trap request.

identify a stop trap request with the virtual machine monitor; and generate a time stamp in response to the stop trap request.

40. (Currently Amended) A machine accessible readable as defined in claim 29, having instructions stored thereon that, when executed, cause the machine to:

identify an extract data request with the virtual machine;

receive data on a bus; and

transmit the data via the virtual machine in response to the extract data

request.

41. (Currently Amended) A machine accessible readable as defined in claim 29, having instructions stored thereon that, when executed, cause the machine to receive the bus transaction request from a second virtual machine.